
www.wellmark.co.kr

SPC FLOORING

WELLMARK CO.,LTD.

SPC TILE



SIZE

180 MM X 1,230 MM

THICKNESS

4.0 MM

PACKING

12 PCS/BOX


INSTALLATION AREA

2.6568 M2/BOX

STUFFING Q'TY 20FT

2,975.62 M2 (1,120 BOXES)

SIZE AVAILABLE : 183.0 MM X 915.0 MM / 152.4 MM X 914.4 MM /
228.6 MM X 914.4 MM / 152.4 MM X 1,219.2 MM /
177.8 MM X 1,219.2 MM / 228.6 MM X 1,219.2 MM



0 1 .

SPC FLOORING ADVANTAGES

1. EASY INSTALLATION

: Just Click yourself, Convenient installation. Suitable for interior floor decoration.

2. ECO-FRIENDLY

: Zero Formaldehyde.

No Plasticizer inside & Heavy metal. Certified by ISO.

3. HIGH DENSITY

: 2,000 - 2,100 kg/m³. Stronger flexural Strength.

The Click Lock will not be broken during life time.

4. COMPRESSIVE RESISTANT

: Static load less than 0.05mm.



SURFACE EMBOSS



ANTI-SCRATCH



FIRE-PROOF



WATER-PROOF

0 2 .

SPC FLOORING ADVANTAGES

5. DIMENSION STABILITY

: The shrinkage factor is only 0.003%. Perfect dimensional stability. It suitable for different of climate.

It is top advantage of SPC Click Tile.

6. ANTI SCRATCH

: Static load less than 0.05 mm.

7. FIRE PROOF

: No sign of burning.

8. WATER PROOF


: Resistant to water. No expansion.

It can be used in humid place as well

0 2 . COMPARISON TABLE

FEATURES	SPC	LVT
100% Waterproof	Great	Fine
Will Not Expand or Contract	Great	Fine
Stable in High/Low Temperature	Great	Fine
Installation on Any Surface	Great	Fine
Superior Scratch Resistance	Great	Fine
Perfect Sound Absorbent	Great	Fine
Pet Proof	Great	Fine
Easy to Install	Great	Great
Stable in Rooms with Sun Lights	Great	Fine
Core Free of Formaldehyde	Great	Fine
Indentation & Impacts Resistance	Great	Fine

SPC FLOORING STRUCTURE



0 4 . DESIGNS



WOOD+ SERIES



8302 8040 8061 8009 8047 8021 8011 8016 8094 8026 8058 8012 8035 8003 8028 8013 8033 8005 8020



8017 8029 8034 8022 8019 8018 8031 8025 8006 8007 8036 8015 8106 8004 8014 8032 8050 8042 8024



WOOD SERIES



8418 8410 8413 8404 8409 8408 8407 8414 8401 8405 8415 8406 8403 8402 8416 8411 8417 8412

05 . OUR INSTALLATION

 DESIGN CODE : 8009



 DESIGN CODE : 8017



05 . OUR INSTALLATION

 DESIGN CODE : 8414



 DESIGN CODE : 8418

